

OTULFI® (ustekinumab-aauz) Enrollment and Prescription Form

Required fields are marked with an asterisk (*).

1. Fax to KabiCare at 1-833-671-1010

2. Upload completed form file to kabicare.trialcard.com

3. Fax to patient's preferred specialty pharmacy Questions? Call 1.833.KABICARE (1-833-522-4227)

		ent of legally authorized person	•	•	
First Name*:	Last Name*:	D.O.B.*	/ /	Gender:	M F
Address*:	City*:		State*:	Zip Code*:	
Phone Number*:	Home Cell Email*:		Interpretation	n services	Y N
Parent/Guardian Name (if applicable)	Caregiver Name (if a	pplicable)	needed: Language:		
Best time to call (Monday-Friday):	Anytime Morning A	Afternoon Evening	Check for permission to le	ave messages w	ith caregiver
When did you start on treatment?*:	Not yet started 0-3 montl	hs ago 4-6 months ago	7-12 months ago	12+ month	ns ago
Peguired Patient Authorization a	nd Additional Consents* (all	fields must be completed prior	to submitting to avo	vid delay in e	anrollment)
Required Patient Authorization and Additional Consents* (all fields must be completed prior to submitting to avoid delay in enrollment) I have read and agree to the Patient Authorization to Share Personal Health Information and OTULFI® enrollment. (Section 1).					
I have read and agree to receive text messages and calls as explained in the Telephone I have read and agree to the Bridge to Commercial Coverage (see section 4 if applicable)					
Consumer Protection Act (TCPA) Consent (see section 2). and/or PAP if applicable (see section 4).					
OTULFI® Co-Pay Program: I have read and agree to the Terms and Conditions I have read and agree to the Fair Credit Reporting Act (FCRA) Authorization (see section 5).					on
Patient or authorized representative signature: Date of signature: / /					/
If authorized representative signature, explain authority to act on behalf of patient:					
Patient's Insurance Infor	mation - Provide copies of the	front and back of all medical an	d prescription insura	ance cards.	
Beneficiary/Cardholder Name:		Prescription Insuran			
Medical Insurance:		Rx Group #:		Rx ID #:	
		Rx Bin #:	Rx PCN	PCN #:	
Medical Insurance ID #:	Group #:	Commercial	Medicare/ Medicaid	VA	Uninsured
	▼ FOR HEALTH CAR	E PROVIDERS ONLY ▼			
Prescriber's Name (First, Last)*:	Prescribe	er's Address:			
Provider NPI #*:	SOC/Infusion Center:	Specialty: Rheumatology	Gastroenterology	Dermatolog	y Other
Office Phone:	Contact Name:	City:	State:	Zip Code:	,
Contact Email:	Office Fax*:	•		,	
Contact Linaii.	Office rax*.	Tax ID:	P	TAN*:	
OTULFI® Prescription	n and Clinical Diagnosis Info	rmation (Fill out, print, add	wet signature, an	d fax)	
OTULFI® Prescription Diagnosis Date: / /	and Clinical Diagnosis Info	rmation (Fill out, print, add	wet signature, an	d fax)	
	· ·	rmation (Fill out, print, add Drug Allergies:	wet signature, an	d fax)	
Diagnosis Date: / /	Current Medications: Check the indication	Drug Allergies:	wet signature, an	d fax) Adult Crohn's	Disease
Diagnosis Date: / / Prior Therapies:	Current Medications:	Drug Allergies: Pediatric Psoriasis Pediatric I	·		
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*:	Current Medications: Check the indication that applies:	Drug Allergies: Pediatric Psoriasis Pediatric I	Psoriatic Arthritis riatic Arthritis	Adult Crohn's Adult Ulcerati	ive Colitis
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy:	Current Medications: Check the indication that applies:	Drug Allergies: Pediatric Psoriasis Pediatric I	Psoriatic Arthritis	Adult Crohn's Adult Ulcerati	
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit	Current Medications: Check the indication that applies:	Drug Allergies: Pediatric Psoriasis Pediatric Adult Psoriasis Adult Psor	Psoriatic Arthritis riatic Arthritis Patient's We	Adult Crohn's Adult Ulcerati	ive Colitis
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Pediatric Adult Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric	Psoriatic Arthritis riatic Arthritis Patient's We	Adult Crohn's Adult Ulcerati	ive Colitis
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Pediatric Adult Psoriasis Adult Psori	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu	Adult Crohn's Adult Ulcerati ight:	ive Colitis
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Pediatric Adult Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric Adult Psoriasis Adult	Psoriatic Arthritis riatic Arthritis Patient's Wei ks Thereafter FS Actual Dose Qu	Adult Crohn's Adult Ulcerati ight: uantity: uantity:	kg Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC)	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Pso	Psoriatic Arthritis riatic Arthritis Patient's Wei ks Thereafter FS Actual Dose Qu	Adult Crohn's Adult Ulcerati ight: uantity: uantity:	kg kg Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrif Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Pso	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu	Adult Crohn's Adult Ulcerati ight: uantity: uantity:	kg kg Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Pl 45 mg SC Vial PFS 90 mg SC	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity:	kg kg Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC)	Current Medications: Check the indication that applies: tis (Children 6-17 years of age):	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Pso	Psoriatic Arthritis riatic Arthritis Patient's Wei ks Thereafter FS Actual Dose Qu Qu ks Thereafter RS Thereafter	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity:	Refill: Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) No kg (90 mg SC)	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Pr 45 mg SC Vial PFS 90 mg SC Maintenance Dosing Every 12 Wee ≤100 kg (45 mg SC)	Psoriatic Arthritis riatic Arthritis Patient's Wei ks Thereafter FS Actual Dose Qu Qu ks Thereafter RS Thereafter	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity:	Refill: Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 <100 kg (45 mg SC) >100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Pediatric I Psoriasis Pediatric I Psoriasis Psoriasis Pediatric I Psoriasis Psoriasis Pediatric I Psoriasis Psoriasis Pediatric I Psoriasis Psoria	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu Column Qu C	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity: uantity: uantity:	Refill: Refill: Refill: Refill: Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) No kg (90 mg SC)	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Pr 45 mg SC Vial PFS 90 mg SC Maintenance Dosing Every 12 Wee ≤100 kg (45 mg SC)	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ks Thereafter	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity: uantity: uantity: uantity:	Refill: Refill: Refill: Refill: Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrifi Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Psoriasis Vial Psoriasis 90 mg SC Vial PFS 90 mg SC Maintenance Dosing Every 12 Wee ≤100 kg (45 mg SC) >100 kg (90 mg SC) Maintenance Dosing Every 8 Week	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ks Thereafter	Adult Crohn's Adult Ulcerati ight: Juantity:	Refill: Refill: Refill: Refill: Rosse
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial Up to 55 kg (260 mg) - 2 Vials	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Psoriasis Vial Psoriasis 90 mg SC Vial PFS 90 mg SC Maintenance Dosing Every 12 Wee ≤100 kg (45 mg SC) >100 kg (90 mg SC) Maintenance Dosing Every 8 Week	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ks Thereafter	Adult Crohn's Adult Ulcerati ight: Juantity:	Refill: Refill: Refill: Refill: Rosse
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthrit Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS 100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) 100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial Up to 55 kg (260 mg) - 2 Vials 55-84 kg (390 mg) - 3 Vials	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Maintenance Dosing Every 12 Wee 0.75 mg/kg SC Vial Pr 45 mg SC Vial PFS 90 mg SC Maintenance Dosing Every 12 Wee ≤100 kg (45 mg SC) >100 kg (90 mg SC) Maintenance Dosing Every 8 Week 90 mg PFS	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu cs, Starting 8 Weeks Aft Qu	Adult Crohn's Adult Ulcerati ight: Juantity:	Refill: Refill: Refill: Refill: Refill: Refill:
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial Up to 55 kg (260 mg) - 2 Vials 55-84 kg (390 mg) - 3 Vials 85 kg (520 mg) - 4 Vials	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Adult Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis Pediatric I Adult Psoriasis Pediatric I I I I I I I I I I I I I I I I I I I	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ks, Starting 8 Weeks Aft Qu ith co-existent moderate-to-seve	Adult Crohn's Adult Ulcerati ight: Juantity:	Refill: Refill: Refill: Refill: Refill: Weighing >100 kg.
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS 100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) 100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial Up to 55 kg (260 mg) - 2 Vials 55-84 kg (390 mg) - 3 Vials 85 kg (520 mg) - 4 Vials No Loading Dose Required PRESCRIBER CERTIFICATION: I certify that the prescriber who has prescribed OTULFI to til	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg tis the above therapy is medically necessary the previously identified patient and that	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ith co-existent moderate-to-seve urate to the best of my kn of the KabiCare patient is	Adult Crohn's Adult Ulcerati ight: uantity: uantity: uantity: uantity: uantity: er IV Induced E uantity: uantity:	Refill: Refill: Refill: Refill: Refill: weighing >100 kg. tify that I am m. I authorize
Diagnosis Date: / / Prior Therapies: Primary ICD-10 code*: Patient's Preferred Specialty Pharmacy: Pediatric Plaque Psoriasis/Psoriatic Arthriti Initial Dosing: Week 0 Week 4 <60 kg (0.75 mg/kg SC) Vial PFS 60-100 kg (45 mg SC) Vial PFS >100 kg (90 mg SC) Adult Plaque Psoriasis/Psoriatic Arthritis Initial Dosing: Week 0 Week 4 ≤100 kg (45 mg SC) >100 kg (90 mg SC) Adult Crohn's Disease/Adult Ulcerative Coli Initial Dosing: 130 mg Vial Up to 55 kg (260 mg) - 2 Vials 55-84 kg (390 mg) - 3 Vials 85 kg (520 mg) - 4 Vials No Loading Dose Required PRESCRIBER CERTIFICATION: I certify that to	Current Medications: Check the indication that applies: tis (Children 6-17 years of age): Actual Dose mg tis the above therapy is medically necessary the previously identified patient and that of transmitting this prescription to the age.	Drug Allergies: Pediatric Psoriasis Adult Psoriasis Pediatric I Adult Psoriasis	Psoriatic Arthritis riatic Arthritis Patient's We ks Thereafter FS Actual Dose Qu Qu ks Thereafter Qu ith co-existent moderate-to-seve urate to the best of my kn of the KabiCare patient is	Adult Crohn's Adult Ulcerati ight: Juantity:	Refill: Refill: Refill: Refill: Refill: weighing >100 kg. tify that I am m. I authorize

IMPORTANT INFORMATION: By submitting this form you are referring the above patient to Fresenius Kabi's patient support program to determine eligibility and receive support related to a Fresenius Kabi product. Fresenius Kabi, its affiliates, collaborators and agents will use the information collected about you and your patient to provide the patient support and perform research and analytics on a de-identified basis, for management of the program. For more information about the categories of personal information collected by Fresenius Kabi and the purposes for which Fresenius Kabi uses personal information, visit www.fresenius-kabi.com/privacy-statement. Please share this information with your patient.





OTULFI® (ustekinumab-aauz) Enrollment and Prescription Form

- 1. Fax to KabiCare at 1-833-671-1010
- 2. Upload completed form file to kabicare.trialcard.com
- 3. Fax to patient's preferred specialty pharmacy Questions? Call 1.833.KABICARE (1-833-522-4227)

IMPORTANT SAFETY INFORMATION

OTULFI (ustekinumab-aauz) is contraindicated in patients with clinically significant hypersensitivity to ustekinumab products or to any of the excipients in OTULFI (ustekinumab-aauz).

Infections

Ustekinumab products may increase the risk of infections and reactivation of latent infections

Serious bacterial, mycobacterial, fungal, and viral infections were observed in patients receiving ustekinumab products.

Serious infections requiring hospitalization, or otherwise clinically significant infections, reported $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

in clinical trials included the following:

- Plaque psoriasis: diverticulitis, cellulitis, pneumonia, appendicitis, cholecystitis, sepsis, osteomyelitis, viral infections, gastroenteritis, urinary tract infections
- Psoriatic arthritis: cholecystitis
- Crohn's disease: anal abscess, gastroenteritis, ophthalmic herpes zoster, pneumonia, Listeria meningitis
- Ulcerative colitis: gastroenteritis, ophthalmic herpes zoster, pneumonia, listeriosis Avoid initiating treatment with OTULFI (ustekinumab-aauz) in patients with a clinically important active infection until the infection resolves or is adequately treated. Consider the risks and benefits of treatment prior to initiating use of OTULFI (ustekinumab-aauz) in patients with a chronic infection or a history of

recurrent infection.

Instruct patients to seek medical advice if signs or symptoms suggestive of an infection occur while on treatment with OTULFI (ustekinumab-aauz).

Discontinue OTULFI (ustekinumab-aauz) for serious or clinically significant infections until the infection resolves or is adequately treated.

Theoretical Risk for Vulnerability to Particular Infections

Individuals genetically deficient in IL-12/IL-23 are particularly vulnerable to disseminated infections from mycobacteria (including nontuberculous, environmental mycobacteria), Salmonella (including nontyphi strains), and Bacillus Calmette-Guerin (BCG) vaccinations. Serious infections and fatal outcomes have been reported in such patients.

It is not known whether patients with pharmacologic blockade of IL-12/IL-23 from treatment with ustekinumab products may be susceptible to these types of infections. Consider appropriate diagnostic testing (e.g., tissue culture, stool culture, as dictated by clinical circumstances).

Pre-Treatment Evaluation of Tuberculosis (TB)

Evaluate patients for TB prior to initiating treatment with OTULFI (ustekinumabaauz).

Avoid administering OTULFI (ustekinumab-aauz) to patients with active TB infection. Initiate treatment of latent TB before administering OTULFI (ustekinumab-aauz). Consider anti-TB therapy prior to initiation of OTULFI (ustekinumab-aauz) in patients with a past history of latent or active TB in whom an adequate course of treatment cannot be confirmed.

Closely monitor patients receiving OTULFI (ustekinumab-aauz) for signs and symptoms of active TB during and after treatment.

Malignancies

Ustekinumab products are immunosuppressants and may increase the risk of malignancy. Malignancies were reported among subjects who received ustekinumab in clinical trials. In rodent models, inhibition of IL-12/IL-23p40 increased the risk of malignancy.

The safety of ustekinumab products has not been evaluated in patients who have a history of malignancy or who have a known malignancy.

There have been reports of the rapid appearance of multiple cutaneous squamous cell carcinomas in patients receiving ustekinumab products who had pre-existing risk factors for developing non-melanoma skin cancer (NMSC). Monitor all patients receiving OTULFI (ustekinumab-aauz) for the appearance of NMSC. Closely follow patients >60 years of age, those with a medical history of prolonged immunosuppressant therapy, and those with a history PUVA treatment.

Hypersensitivity Reactions

Hypersensitivity reactions, including anaphylaxis and angioedema, have been reported with ustekinumab products. If an anaphylactic or other clinically significant hypersensitivity reaction occurs, institute appropriate therapy and discontinue OTULFI (ustekinumab-aauz).

Posterior Reversible Encephalopathy Syndrome (PRES)

Two cases of posterior reversible encephalopathy syndrome (PRES), also known as Reversible Posterior Leukoencephalopathy Syndrome (RPLS), were reported in clinical trials. Cases have also been reported in postmarketing experience in patients with psoriasis, psoriatic arthritis and Crohn's disease. Clinical presentation included headaches, seizures, confusion, visual disturbances, and imaging changes consistent with PRES a few days to several months after initiating ustekinumab products. A few cases reported latency of a year or longer. Patients recovered with supportive care following withdrawal of ustekinumab.

Monitor all patients treated with OTULFI (ustekinumab-aauz) for signs and symptoms of PRES. If PRES is suspected, promptly administer appropriate treatment and discontinue OTULFI (ustekinumab-aauz).

Immunizations

Prior to initiating therapy with OTULFI (ustekinumab-aauz), patients should receive all age-appropriate immunizations as recommended by current immunization guidelines. Patients being treated with OTULFI (ustekinumab-aauz) should not receive live vaccines. Avoid administering BCG vaccines during treatment with OTULFI (ustekinumab-aauz), or for one year prior to initiating treatment or one year following discontinuation of treatment. Caution is advised when administering live vaccines to household contacts of patients receiving OTULFI (ustekinumab-aauz) because of the potential risk for shedding from the household contact and transmission to patient.

Non-live vaccinations received during a course of OTULFI (ustekinumab-aauz) may not elicit an immune response sufficient to prevent disease.

Noninfectious Pneumonia

Cases of interstitial pneumonia, eosinophilic pneumonia, and cryptogenic organizing pneumonia have been reported during post-approval use of ustekinumab products. Clinical presentations included cough, dyspnea, and interstitial infiltrates following one to three doses. Serious outcomes have included respiratory failure and prolonged hospitalization. Patients improved with discontinuation of therapy and in certain cases, administration of corticosteroids. If diagnosis is confirmed, discontinue OTULFI (ustekinumab-aauz) and institute appropriate treatment.

Most Common Adverse Reactions

The most common adverse reactions (≥3%) seen in patients treated with OTULFI (ustekinumab-aauz) are:

- Psoriasis: nasopharyngitis, upper respiratory tract infection, headache, fatigue
- · Crohn's disease, induction: vomiting
- Crohn's disease, maintenance: nasopharyngitis, injection site erythema, vulvovaginal candidiasis/mycotic infection, bronchitis, pruritus, urinary tract infection, sinusitis
- Ulcerative colitis, induction: nasopharyngitis
- Ulcerative colitis, maintenance: nasopharyngitis, headache, abdominal pain, influenza, fever, diarrhea, sinusitis, fatigue, nausea

To report SUSPECTED ADVERSE REACTIONS, contact Fresenius Kabi USA, LLC at 1-800-551-7176 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch. Indications

OTULFI (ustekinumab-aauz) is an IL-12/23 antagonist indicated for treatment of:

- · Adult patients with:
 - Moderate to severe plaque psoriasis who are candidates for phototherapy or systemic therapy
 - Active psoriatic arthritis
 - Moderately to severely active Crohn's disease
 - Moderately to severely active ulcerative colitis
- Pediatric patients ≥6 years of age with:
 - Moderate to severe plaque psoriasis who are candidates for phototherapy or systemic therapy
 - Active psoriatic arthritis

Click to see <u>full Prescribing Information</u> for OTULFI® (ustekinumab-aauz).





OTULFI® (ustekinumab-aauz) **Enrollment and Prescription Form**

- 1. Fax to KabiCare at 1-833-671-1010
- 2. Upload completed form file to kabicare.trialcard.com
- 3. Fax to patient's preferred specialty pharmacy Questions? Call 1.833.KABICARE (1-833-522-4227)

ADDITIONAL TERMS AND CONDITIONS FOR ENROLLMENT

Section 1: Patient Authorization for the Use and Disclosure of Protected Health Information

PATIFNT AUTHORIZATION AND RELEASE TO COLLECT, USE, AND DISCLOSE HEALTH INFORMATION

By my signature above, I agree to allow my doctors, pharmacies, specialty pharmacy(ies), and health insurers (collectively "Healthcare Providers"), to use and disclose my personal health information related to this enrollment form or my use or potential use of OTULF1 to Fresenius Kabi and its agents, authorized representatives, and contractors, including, without limitation, its HUB provider, as further described below.

Information to Be Disclosed: My protected health information (as such term is defined in the Health Insurance Portability and Accountability Act of 1996 ("HIPAA") and regulations thereunder), as well as other state and/or federally protected personal information, including my personal contact and other demographic information, all medical records and financial information and information relating to my treatment, the coordination of my treatment, and the delivery, packaging, and receipt of certain medication prescribed to me (collectively, my "Information").

Persons to Whom My Information May Be Disclosed: Fresenius Kabi and the KabiCare Patient Support Program, including any third parties responsible for the administration of the KabiCare Patient Support Program.

Purposes for Which the Disclosures Are to Be Made: Disclosures of my Information may be made to KabiCare Patient Support Program so that KabiCare Patient Support Program may use and disclose my Information

- purposes of: Communicating with my Healthcare Providers Oromunicating with my Heatincare Providers about my prescription and medical condition, including to facilitate the order, fulfillment and delivery of my prescription as needed;
 Establishing my eligibility for benefits from my health plan or other programs;
 Contacting my insurer on my behalf to determine if I am eligible for health insurance coverage or other funds;
 Providing appropriate product and reimbursement sunnort.

- 4) Providing appropriate product and reimbursement support;
 5) Contacting me regarding case management and/ or educational information or training offered by or through the KabiCare Patient Support Program;
 6) Contacting me regarding this Authorization or my use or potential use of my prescriptions and providing me with related communications, including through messages left for me that disclose that I take or may take certain prescription medications.
- messages left for me that disclose that I aak or may take certain prescription medications; 7) Contacting me to administer, evaluate, and improve the KabiCare Patient Support Programs, including analyzing the usage patterns and the effectiveness of services and helping to develop new products, services, and programs, and for other general business and administrative purposes; and 8) Disclosing my Information to third parties if required by law.

By signing this Authorization, I acknowledge my

- understanding that:

 I understand that I may refuse to sign this
- Indestanding triat.

 I understand that I may refuse to sign this Authorization and that my refusal to sign this Authorization will not affect my right to treatment or payment of benefits for health care. I understand that if I refuse to sign, I will not be eligible to receive support through the KabliCare Patient Support Program.

 I have the right to revoke this Authorization at any time by mailing 2250 Perimeter Park Dr., Suite 300 Morrisville, NC 27560. Revoking this Authorization will prohibit further uses and disclosures of my Information by the KabliCare Patient Support Program, except to the extent those uses and disclosures have been made in reliance on this Authorization and as permitted by applicable law.

 Certain pharmacy providers or other Healthcare
- Certain pharmacy providers or other Healthcare Providers may receive remuneration for the use or disclosure of my Information, as permitted by
- or disclosure of my Information, as permitted by this Authorization. Once my Information is released to KabiCare Patient Support Program based on this Authorization, my Information may not be subject to all of the protections and safequards provided by HIPAA or other federal and state privacy laws. However, I understand that KabiCare Patient Support Program has agreed to use or disclose my Information received only for the purposes described in this Authorization or as required by law. This Authorization will remain in effect for a period of two (2) years after I sign it unless a

or as required by faw.

This Authorization will remain in effect for a period of two (2) years after I sign it unless a shorter period is required by state law or is revoked by me earlier in writing.

I am entitled to receive a copy of this signed Authorization.

The patient, or the patient's authorized representative, MUST sign this form to participate in the KabiCare Patient Support Program. My signature, signifying my agreement with this Authorization, is provided on page I of this Enrollment Form, where it states, "I have read and agree to the Patient Authorization for the Use and Disclosure of Protected Health Information (section 1). If an authorized representative signs for the patient, please indicate relationship to the patient.

Section 2: Telephone Consumer Protection Act (TCPA) Consent

By checking the first box in the "Required Patient Authorization and Additional Consents" section on page 1, you understand that the personal information you provide will be shared with KabiCare, and its third-party partners, including TrialCard Incorporated. You also authorize KabiCare, and its partners, to communicate with you about

products, health conditions, copay and financial assistance. You are providing consent that you can be contacted by mail, email, phone or autodialed text messages under the guidelines of the Telephone Consumer Protection Act at the phone number you provide. You may opt out of individual communications from KabiCare or its partners individual communications from KabiCare or its partners entirely at any time by calling 1-833-KabiCare. KabiCare and companies providing services to KabiCare will not sell or rent your personally identifiable information, as described in the Privacy Policy. For clarity, phone contact includes telephonic contact for the purposes of advertising or telemarketing and may include either or both of (1) autodialed prerecorded voice calls, and (2) autodialed artificial voice calls.

You understand that you are not required to agree to receive any phone, mail, or text messages as a condition o participation in this Program, that message and data rate may apply depending on your phone carrier, and you may stop receiving text messages at any time by texting the word STOP in response to a text received from KabiCare or its partners.

Section 3: KabiCare Copay Assistance Program TERMS & CONDITIONS

To receive benefits under the Copay Assistance Program, the patient may contact the KabiCare Patient Support Program for current Program Product(s) subject to these Terms and Conditions. By participating in the Copay Assistance Program, patient acknowledges and agrees that he/she is eligible to participate and that he/she understands and agrees to comply with these Terms and Conditions.

- noditions.

 Patient must be prescribed the Program Product for an FDA-approved indication.

 Patient must have commercial (private or non-governmental) health insurance that provides coverage for the cost of the Program Product under a pharmacy or medical benefit nian
- plan.
 The Copay Assistance Program is valid for patients who have a valid prescription for a Fresenius Kabi medication and who are not reimbursed for the entire cost of the prescription by their commercial insurance plan. The Copay Assistance Program is not valid for patients enrolled in Medicaid, Medicare (including a Medicare Part D or Medicare Advantage plan, a Medigap plan, or an employer-sponsored health plan or prescription drug benefit program for Medicarc-eliqible retirees), Veteran Affairs levalth care programs, Department of Deferse health care programs, TRICAPE, CHAMPUS, Puerto Rico Government Health Insurance Plan, or any other state or federal medical or pharmaceutical benefit program or pharmaceutical benefit program or pharmaceutical assistance program, including any state pharmaceutical assistance programs (collectively, "Government Programs"). Patients who move from commercial insurance to Government Programs will no longer be eligible to participate in the Copay Assistance Program and agree to notify the Copay Assistance Program and sachusetts, the Copay Assistance Program of Massachusetts, the Copay Assistance Program en fire officers of the Program enter of the for Medicare-eligible retirees), Veteran Affairs Assistance Program expires on the earlier of: (i) the Expiration Date set forth below; (ii) the
- (i) the Expiration Date set forth below; (ii) the date an AB-rated generic equivalent becomes available for the Program Product; or (iii) January 31, 2026, absent a change in Massachusetts state law. If the patient lives in California, the Copay Assistance Program expires on the earlier of: (i) the Expiration Date set forth below; or (ii) the date an FDA approved therapeutically equivalent for the Program Product or over the counter product with the same active ingredients becomes available.

- for the Program Product or over the counter product with the same active ingredients becomes available. Patients must have an out-of-pocket cost for the Program Product prior to the Expiration Date of the Copay Assistance Program. The benefit available under the Copay Assistance Program is limited to the amount the patient's private health insurance company indicates that the patient is obligated to pay for up to a per syringe/annual maximum. The patient out-of-pocket costs incurred for Program Product subject to per syringe/annual maximum based on Program Product administration date. After reaching the maximum Copay Assistance Program benefit, the patient will be responsible for all remaining out-of-pocket expenses. The patient or provider may contact the KabiCare Patient Support Program for more information. This Copay Assistance Program benefit is for commercially insured patients only. Uninsured and cash paying patients may be eligible for other types of support not part of the Copay Assistance Program. The Patient and participating pharmacy or healthcare professional agree not to seek reimbursement for all, or any part, of the benefit received by the patient through the Copay Assistance Program. Participating patients and pharmacies or health care professionals are responsible for reporting receipt of Copay Assistance Program benefits as may be required by law. Patient must be a resident of the United States or the Commonwealth of Puerto Rico. Product must originate and be administrated to patient in the United Originate and be administrated to patient in the United originate and be administrated to patient in the United

- Patient must be a resident of the United States or the Commonwealth of Puerto Rico. Product must originate and be administered to patient in the United States or the Commonwealth of Puerto Rico. All information applicable to the Copay Assistance Program requested on the KabiCare.US site must be provided, and all certifications must be provided. No other purchase is necessary. The Copay Assistance Program is not insurance. It is illegal to sell, purchase, trade, counterfeit, or

- duplicate, or offer to sell, purchase, trade counterfeit, or duplicate the Copay Assistance Program card. Void if reproduced. The Copay Assistance Program is intended to comply with all applicable laws and regulations, including, without limitation, the federal Anti-Kickback Statute, its implementing regulations, and related guidance interpreting the federal Anti-Kickback Statute.
- The Copay Assistance Program is void where prohibited by law, taxed, or restricted. The Copay Assistance Program is not transferable. No
- Assistance Program is not transferable. No substitutions are permitted. The Copay Assistance Program benefit has no cash value and cannot be combined with any other Copay Assistance Program, free trial, discount, rebate, prescription savings card, or other offer. The full value of the Copay Assistance Program benefit is intended to pass entirely to the patient. No other individual or entity is entitled to receive a discount or other amount in connection with the Copay Assistance Program.
- Copay Assistance Program.
 This offer is not conditioned on any past, present, or future purchase obligation, and the Copay Assistance Program does not obligate the use of any specific
- product or provider. To the extent applicable, this offer will be accepted
- To the extent applicable, this offer will be accepted only at participating pharmacies. KabiCare reserves the right to rescind, revoke, terminate, or amend the Copay Assistance Program at any time without notice. Data related to patient's receipt of Copay Assistance Program benefits may be collected, analyzed, and shared with KabiCare, for market research and other purposes related to assessing Copay Assistance Programs. Data shared with KabiCare will be aggregated and de-identified, meaning it will be combined with data related to other Copay Assistance Program redemptions and will not identify patient. The Terms and Conditions of the Copay Assistance Program are valid for Program Product only, and
- Program are valid for Program Product only, and Fresenius Kabi reserves the right to rescind, revoke, or amend the Program without notice.

Section 4: Bridge to Commercial Coverage - Patient Attestation

KabiCare provides a limited and temporary supply of free product through the KabiCare Commercial Bridge Program ("Commercial Bridge Program") for eligible commercially insured patients when a prior authorization request has been pending with the payer for more than 7 days and when other program eligibility criteria have been satisfied.

The patient and participating providers may not seek reimbursement for any free product provided under the Commercial Bridge Program nor does the Commercial Bridge Program include payment for product administration fees.

By signing above, the patient hereby certifies to the

I certify that I am not enrolled in any Federal health care program (such as Medicare, Medicaid, Veteran Affairs health care programs, Department of Defense health care programs, TRICARE, or CHAMPUS) if I am enrolled in the Commercial Bridge Program, I certify that all information provided herein is correct and complete, to the best of my knowledge. I acknowledge that any product provided through the Commercial Bridge Program is provided on my knowledge. I acknowledge that any product provided on through the Commercial Bridge Program is provided on a complimentary basis. I certify that I will not submit or cause to be submitted any claims for payment or reimbursement for such products to any third-party payor, including any Federal health care programs. If I and rebecome in possession of such product, I understand that such product is only for me and I will not give such product to anyone else. I agree that I will not sell, trade, distribute or otherwise transfer such product.

I understand that if I am enrolled in the Commercial Bridge Program, any future changes to prescription drug coverage, or insurance coverage may affect whether I can continue to participate in the Commercial Bridge Program. I agree to contact kablicare at 1-833-KABICARE (1-833-522-4227) and tell them about any changes to my prescription drug coverage, or insurance coverage, understand there is no purchase requirement associated with assistance through by or through the Commercial Bridge Program. I understand that completing this form does not guarantee that assistance will be provided.

Section 5: Fair Credit Reporting Act (FCRA) - Patient

The information I have provided is complete and accurate and will be used to decide if I am eligible to participate in the KabiCare Patient Assistance Program (the "PAP"). I agree that submitting my application is not a guarantee that I am entitled to participate in the PAP or that the PAF agree that submitting my applications Not a Qualantee that I am entitled to participate in the PAP or that the PAP is obligated to provide me with any assistance. I understand that the PAP can revise, change, or terminate the program at any time. I authorize my healthcare providers and my health plan or insurers to give my medical and financial information to KabiCare, which administers the PAP on behalf of Fresenius Kabi, the distributor of the medicines, and to Experian, which assesses my income and ability to pay. I authorize KabiCare and its service providers to obtain credit reports about me from one or more credit reporting agencies in order to verify my information and determine my eligibility to participate in the PAP, authorize KabiCare and Experian to review my medical and financial information and to use it only to determine if I am eligible to participate in the PAP, to operate the PAP, or as otherwise required or permitted by law. I understand and agree that KabiCare and Experian may contact me directly to verify the information I have submitted or to ask for additional information or documentation to process my application. Section 6: Prescriber Certification and Statement of Medical Necessity

Prescriber Declaration: My signature certifies that the person named on this form is my patient, I will be supervising this patient's treatment, and the information that has been provided is complete and accurate to the best of my knowledge.

I also certify that I have made the clinical judgement that any products provided through kabiCare Patient Support Program(s), including KabiCare's Patient Assistance Program (the "PAP") are medically necessary and appropriate for the patient named on this form and will be used only by that patient. I will not use any such product or prescribe, provider, furnish, or dispense any portion thereof to any other person or patient. If I am or become in possession of such medications, I will not sell, resell, offer for sale, trade, or barter such products.

in addition, I certify that no claim for payment or reimbursement for any product furnished through KabiCare Patient Support Program(s), including the PAP, will be submitted to any third-party payer, including any Federal health care program (such as Medicare, Medicaid, Veteran Affairs health care programs, Department of Defense health care programs, TRICARE, or CHAMPUS), any other health care benefit plan, payer or patient, or returned for credit. In addition, I certify that no claim for payment or

I further certify that (a) any reimbursement investigation support or assistance provided to patients through KabiCare Patient Support Program is not made in exchange, directly or indirectly, for any past, present, or future recommendation, prescription, purchase, or use of the above therapy or any other product or service for or from anyone and (b) my decision to prescribe product was based solely on my determination of medical necessity as set forth herein. I understand that completing this form does not aurantee that assistance will be provided to does not guarantee that assistance will be provided to my patient.

Prescriber Acknowledgement: Where required by applicable law, regulation, or other applicable authority, I have obtained appropriate written authorization from the patient ("Legal Permission") permitting me to use and disclose my patients' health, demographic, and other individually identifiable information, including insurance and financial information, to Fresenius Kabi, its affiliates, its program administrator, and their respective agents, service providers and field reimbursement professionals for the purpose of prescribe the patient's resurance. service providers and field reimbursement professionals for the purpose of assessing the patients' insurance coverage and eligibility for participation in the KabiCare Patient Support Program(s), providing patient support programs, copay assistance, patient assistance, and/or reimbursement support in connection with the patient's treatment with product. I maintain records of such Legal Permission consistent with applicable law.

I appoint KabiCare on my behalf, to convey this prescription to the appropriate dispensing entity, to the extent permitted under applicable state law. Special Note: Prescribers in all states must follow applicable laws for a valid prescription. For prescribers in states with official prescription form requirements, please submit an actual prescription along with this enrollment form.

Section 7: Patient Assistance Program - Patient

Section 7: Patient Assistance Program - Patient Attestation

I certify that all information provided herein is correct and complete, to the best of my knowledge. To the extent I receive amy free product through programs offered by or through the KabiCare Patient Support Programs, including the KabiCare Patient Assistance Program ("PAP"), I acknowledge that such product is provided on a complimentary basis. I certify that I will not submit or cause to be submitted any claims for payment or reimbursement Products on any third-partip payor, including the Program of the Product of the Programs payor, in the Program of the Product of the Program of them about any changes to my income, prescription drug overage, or insurance coverage. I understand there is no purchase requirement associated with assistance through by or through any KabiCare Patient Support Program(s), including the PAE1 understand that completing this form does not guarantee that assistance will be provided.

I understand that Fresenius Kabi reserves the right at any I understand that Fresenius Rab reserves the right at any time and without notice to me to modify ana/or discontinue any or all support offered by or through KabiCare Patient Support Porgams, including modification de

